

Coding frame

| Conceptual framework | Themes | Sub-themes |
|----------------------|------------------------------|--------------------------------|
| Classroom training | Knowledge gained | Malaria in pregnancy |
| | | Change in IPTp guidelines |
| | | Content of IPTp guidelines |
| | | Provision practices |
| | | Contraindications |
| | | Adverse effects of SP |
| | | Data recording |
| | Attendees | Selection of health workers to |
| | | attend |
| | | Number of staff to attend |
| | Format and logistics | Frequency of trainings |
| | | Topics of trainings |
| | | Attendee expenses |
| | | Cost of training |
| | Opinions | Structure |
| | | Clarity |
| | | Content |
| | | General opinions |
| Post-training | On-the-job training | Frequency |
| | | Format |
| | Follow-up classroom training | Demand |



| | | Frequency |
|---------------------|---------------------|----------------------------|
| | Changes in practice | Malaria in pregnancy |
| | | management |
| | | Provision of IPTp |
| | | Recording practices |
| | | Information sharing |
| Information cascade | Barriers | Attitudes |
| | | Staff turnover |
| | | Time constraints |
| | | СМЕ |
| | | Other |
| | Facilitators | How information is shared |
| | | What information is shared |
| | | When information is shared |
| | | Who information is shared |
| | | with |
| | Mechanisms | CME |
| | | Text messages |
| | | Other |
| | Opinions | Cascade approach |
| | | Other |
| Text messages | Content | Text messages |
| | Purpose | Reminder |



| | | Information sharing |
|-----------------------------|-----------------|----------------------------|
| | | Engagement |
| | | Teaching new staff |
| | Format | Timing |
| | | Language |
| | Delivery | Internet |
| | | mTrac |
| | | Network |
| | | Updating contact details |
| | | Setting up messages |
| | | Sending messages |
| | | Costs |
| | | Problems |
| | Scalability | Roles and responsibilities |
| | | Other topics |
| | | Other audiences |
| | | Other geographies |
| Training plus text messages | Combined effect | Value added |
| | | Complementarity |
| Data recording | Tools | ANC register |
| | | ANC cards |
| | Job aid | Availability |
| | | Use |

Assessing and addressing barriers to IPTp uptake in Uganda Pilot intervention phase



| | | Non-use |
|--------------------|-----------------------------|-------------------------|
| | | |
| | | Opinions |
| | | Suggestions |
| Context | Population | Migration and changes |
| | | Conflict |
| | Climate | Rain |
| | Other programmes | mHealth interventions |
| | | Health service delivery |
| | | interventions |
| | | Implementing partners |
| Health system | Supervision | Frequency |
| | | Format |
| | | Topics |
| | | Barriers |
| | Stock-outs | Stock levels |
| | | Redistribution |
| | | Supply chain |
| Malaria Consortium | Text messaging intervention | Awareness |
| | | Information |
| | | Purpose |
| | General | Comments on work |
| | | Requests for support |