

Supporting Information

Benzo[*a*]carbazole-Based Donor- π -Acceptor Type Organic Dyes for Highly Efficient Dye-Sensitized Solar Cells

Xing Qian,[†] Yi-Zhou Zhu,^{†,*} Wen-Ying Chang,[†] Jian Song,[‡] Bin Pan,[†] Lin Lu,[†]

Huan-Huan Gao,[†] and Jian-Yu Zheng^{†,*}

[†] State Key Laboratory and Institute of Elemento-Organic Chemistry, Collaborative
Innovation Center of Chemical Science and Engineering (Tianjin), Nankai University,
Tianjin 300071, China

[‡] School of Materials Science and Engineering, China University of Mining and
Technology, Xuzhou 221116, China

* E-mail: zhuyizhou@nankai.edu.cn; jyzheng@nankai.edu.cn. Fax: +86-22-2350
5572; Tel: +86-22-2350 5572.




Figure S1. ¹H NMR of compound **4** in CDCl₃.




Figure S2. ¹³C NMR of compound **4** in CDCl₃.




Figure S3. ^1H NMR of compound **5** in CDCl_3 .




Figure S4. ^{13}C NMR of compound **5** in CDCl_3 .




Figure S5. ¹H NMR of compound 6 in CDCl₃.




Figure S6. ¹³C NMR of compound 6 in CDCl₃.




Figure S7. ^1H NMR of compound **7** in CDCl_3 .




Figure S8. ^{13}C NMR of compound **7** in CDCl_3 .




Figure S9. ¹H NMR of JY21 in acetone-*d*₆.




Figure S10. ¹³C NMR of JY21 in acetone-*d*₆.




Figure S11. ¹H NMR of JY22 in DMSO-*d*₆.




Figure S12. ¹³C NMR of JY22 in DMSO-*d*₆.

