Supporting Information

Substituent Effects on Physical and Photovoltaic Properties of 5,6-Difluorobenzo[c]- [1,2,5]thiadiazole-Based D-A Polymers --- Towards A Donor Design for High Performance Polymer Solar Cells

Yan Wang^{†,||}, Xin Xin^{†,||}, Yong Lu^{†,||}, Ting Xiao[⊥], Xiaofeng Xu[†], Ni Zhao[⊥], Xiao Hu^{‡,*}, Beng S. Ong^{§,*}, and Siu Choon Ng^{†,*}

[†]School of Chemical and Biomedical Engineering, Nanyang Technological University, Nanyang Drive, Singapore 637459.

[‡]School of Materials Science and Engineering, Nanyang Technological University, Nanyang Avenue, Singapore 639798.

[§]Department of Chemistry and Institute of Creativity, Hong Kong Baptist University, Kowloon, Hong Kong SAR, China.

^LDepartment of Electronic Engineering, The Chinese University of Hong Kong, Shatin, New Territories, Hong Kong SAR, China




Figure S1 UV-vis absorption of polymer PFBT-T20TT at different annealing

temperature.




Figure S2 ¹H NMR of compound 1




Figure S3 ¹H NMR of compound 2




Figure S4 ¹H NMR of compound **3**




Figure S5 ¹H NMR of compound **4**




Figure S6 ¹H NMR of polymer **PFBT-T12TT**




Figure S7 ¹H NMR of polymer **PFBT-T20TT**




Figure S8 ¹H NMR of polymer **PBT-T12TT**