Supporting Information

Cytotoxic Diterpenoid Pseudo-dimers from the Korean Sponge *Phorbas gukhulensis*

Ju-eun Jeon,[†] Lijuan Liao,[†] Heegyu Kim,[‡] Chung J. Sim,[§] Dong-Chan Oh,[†] Ki-Bong Oh,^{‡, *} and Jongheon Shin^{†, *}

[†]Natural Products Research Institute, College of Pharmacy, Seoul National University, San 56-1, Sillim, Gwanak, Seoul 151-742, Korea, [‡]Department of Agricultural Biotechnology, College of Agriculture & Life Science, Seoul National University, San 56-1, Sillim, Gwanak, Seoul 151-921, Korea, [§]Department of Biological Science, College of Life Science and Nano Technology, Hannam University, 461-6 Jeonmin, Yuseong, Daejeon 305-811, Korea,

shinj@snu.ac.kr

Contents

Γable of Contents	S 1
H NMR (500 MHz, DMSO d_6) spectrum of compound 2	S 3
3 C NMR (125 MHz, DMSO d_{6}) spectrum of compound 2	S 4
gHSQC NMR (500 MHz, DMSO d_6) spectrum of compound 2	S5
gHMBC NMR (500 MHz, DMSO d_6) spectrum of compound 2	S 6
HETLOC NMR (900 MHz, DMSO- d_6) spectrum of compound 2	S 7
H NMR (600 MHz, DMSO d_6) spectrum of compound 3	S 8
3 C NMR (225 MHz, DMSO d_{6}) spectrum of compound 3	S 9
gHSQC NMR (600 MHz, DMSO d_6) spectrum of compound 3	S 10
gHMBC NMR (600 MHz, DMSO d_6) spectrum of compound 3	S 11
H NMR (500 MHz, DMSO d_6) spectrum of compound 4	S12

13 C NMR (125 MHz, DMSO d_6) spectrum of compound 4	S13
gHSQC NMR (500 MHz, DMSO d_6) spectrum of compound 4	S 14
gHMBC NMR (500 MHz, DMSO d_6) spectrum of compound 4	S15
¹ H NMR (900 MHz, CDCl ₃) spectrum of compound 5	S16
¹³ C NMR (125 MHz, CDCl ₃) spectrum of compound 5	S17
gHSQC NMR (500 MHz, CDCl ₃) spectrum of compound 5	S18
gHMBC NMR (900 MHz, CDCl ₃) spectrum of compound 5	S19
Induced CD spectrum of <i>in situ</i> formed Mo ₂ -complex of compound 2	S20




Figure 1. 1 H NMR (500 MHz, DMSO- d_{6}) spectrum of compound **2**




Figure 2. 13 C NMR (125 MHz, DMSO- d_6) spectrum of compound **2**




Figure 3. gHSQC (500 MHz, DMSO-*d*₆) spectrum of compound **2**




Figure 4. gHMBC (500 MHz, DMSO- d_6) spectrum of compound 2




Figure 5. HETLOC (900 MHz, DMSO- d_6) spectrum of compound 2




Figure 6. 1 H NMR (600 MHz, DMSO- d_{6}) spectrum of compound **3**




Figure 7. 13 C NMR (225 MHz, DMSO- d_6) spectrum of compound **3**




Figure 8. gHSQC NMR (600 MHz, DMSO- d_6) spectrum of compound **3**




Figure 9. gHMBC NMR (600 MHz, DMSO- d_6) spectrum of compound 3




Figure 10. 1 H NMR (500 MHz, DMSO- d_{6}) spectrum of compound **4**




Figure 11. 13 C NMR (125 MHz, DMSO- d_6) spectrum of compound 4




Figure 12. gHSQC (500 MHz, DMSO- d_6) spectrum of compound 4




Figure 13. gHMBC (500 MHz, DMSO-d₆) spectrum of compound 4




Figure 14. ¹H NMR (900 MHz, CDCl₃) spectrum of compound **5**




Figure 15. ¹³C NMR (125 MHz, CDCl₃) spectrum of compound **5**




Figure 16. gHSQC (500 MHz, CDCl₃) spectrum of compound 5




Figure 17. gHMBC (900 MHz, CDCl₃) spectrum of compound 5




Figure 18. Induced CD spectrum of *in situ* formed Mo₂-complex of compound 2