

Supporting information for

Indium Oxide Nanospirals Made of Kinked Nanowires

Guozhen Shen,^{†,‡,} Bo Liang,[†] Xianfu Wang,[†] Po-Chiang Chen,[‡] and Chongwu Zhou^{‡,*}*

[†] Wuhan National Laboratory for Optoelectronics and College of Optoelectronic Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China. E-mail address: gzshen@mail.hust.edu.cn.

[‡] Department of Electrical Engineering, University of Southern California, Los Angeles, CA 90089, USA. E-mail address: chongwuz@usc.edu.

Contents:

Figure S1. XRD pattern of the as-deposited sample, indicating the formation of pure In₂O₃ product.

Figure S2. Optical image of the as-deposited sample, showing the formation of spiral-like structures on a large scale.

Figure S3. Low-magnification SEM images of the synthesized kinked In₂O₃ nanospirals.

Figure S4. Low-magnification SEM images of the synthesized multi-kinked In₂O₃ nanowires.

Figure S5. SEM image of straight In₂O₃ nanowires obtained in a normal laser-ablation CVD process.




Figure S1. XRD pattern of the as-deposited sample, indicating the formation of pure In_2O_3 product.




Figure S2. Optical image of the as-deposited sample, showing the formation of spiral-like structures on a large scale.




Figure S3. Low-magnification SEM images of the synthesized kinked In_2O_3 nanospirals.




Figure S4. Low-magnification SEM images of the synthesized multiply In_2O_3 nanowires.




Figure S5. SEM image of straight In_2O_3 nanowires obtained in a normal laser-ablation CVD process.