ACPF Six-year Land Use by field: Upper Mississippi River Basin 2015-2020

File Geodatabase Table

Thumbnail Not Available

Tags

United States Department of Agriculture (USDA), USDA/ARS, Agricultural Conservation Planning Framework, ACPF, scientificInformation, Farming, boundaries, Field Boundaries, farming, Digitizing, NASS Crop Data Layer, conservation planning, USDA/ARS, Upper Mississippi River Basin, UMRB, Agricultural Conservation Planning Framework, ACPF

Summary

Improving the quality of water discharged from agricultural watersheds requires comprehensive and adaptive approaches for planning and implementing conservation practices. These measures will need to consider landscape hydrology, distributions of soil types, land cover, and crop distributions in an integrated manner. The two most consistent challenges to these efforts will be consistency and reliability of data, and the capacity to translate conservation planning from watershed to farm and field scales. The translation of scale is required because, while conservation practices can be planned based on a watershed scale framework, they must be implemented by landowners in specific fields and riparian sites that are under private ownership. To support these goals, it has been necessary to develop planning approaches, high-resolution spatial datasets, and conservation practice assessment tools that will allow the agricultural and conservation communities to characterize and mitigate these challenges. The field boundary dataset represents a spatial framework for assembling and maintaining geospatial data to support conservation planning at the scale where conservation practices are implemented.

Description

This 6-year land-use summary table has been assembled to support field-scale agricultural conservation planning using the USDA/ARS Agricultural conservation Planning Framework (ACPF). The original data used to create this database are the NASS Crop Data Layer datasets and individual HUC12 watershed field boundary feature classes. For each of the last six years, 2015-2020, the dominant (majority) land use and its percentage of the field's area have been used to assigned land use each individual field polygon (e.g 'maj19' and 'pct19'). This summary information for each field are assigned, including; a six-year crop rotation string, a crop summary string, a continuous corn count, a mixed land use count, and a general land use class.

Credits

USDA/ARS

Use limitations

In no event shall the creators, custodians, or distributors of this information be liable for any

damages arising out of its use (or the inability to use it).

Extent

There is no extent for this item.

Scale Range

Maximum (zoomed in) 1:5,000 **Minimum (zoomed out)** 1:150,000,000

ArcGIS Metadata ▶

Topics and Keywords ▶

THEMES OR CATEGORIES OF THE RESOURCE farming, planningCadastre, geoscientificInformation, boundaries

* CONTENT TYPE Downloadable Data

EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

PLACE KEYWORDS Upper Mississippi River Basin, UMRB

TEMPORAL KEYWORDS 2015 - 2020 NASS Crop Data Layer

THEME KEYWORDS USA, United States Department of Agriculture (USDA), geoscientificInformation, Farming, boundaries, Field Boundaries, farming, Digitizing, USDA, conservation planning

Hide Topics and Keywords ▲

Citation ▶

TITLE ACPF Six-year Land Use by field: Upper Mississippi River Basin 2015-2020 PUBLICATION DATE 2014-01-01

EDITION 1

PRESENTATION FORMATS digital table
FGDC GEOSPATIAL PRESENTATION FORMAT tabular digital data

Hide Citation ▲

Citation Contacts ▶

RESPONSIBLE PARTY

ORGANIZATION'S NAME USDA, Agricultural Research Service, National Laboratory of Agriculture and the Environment
INDIVIDUAL'S NAME David James

CONTACT'S POSITION GIS
CONTACT'S ROLE originator

Hide Citation Contacts

Resource Details ▶

DATASET LANGUAGES English (UNITED STATES)

```
DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format
  STATUS completed
  SPATIAL REPRESENTATION TYPE * text table
  * PROCESSING ENVIRONMENT Version 6.2 (Build 9200); Esri ArcGIS 10.8.1.14362
  CREDITS
    USDA/ARS
  ARCGIS ITEM PROPERTIES
    * NAME UMRB ACPFfields LandUse2015 2020
    *LOCATION file://\\CURLEW\D$\ACPFproc\ADCcontributions\UMRB\ACPF_UMRB.gdb
      * ACCESS PROTOCOL Local Area Network
  Hide Resource Details A
Extents ▶
  EXTENT
    DESCRIPTION
      Upper Mississippi River Basin, HUC07
    GEOGRAPHIC EXTENT
      GEOGRAPHIC DESCRIPTION
        GEOGRAPHIC IDENTIFIER
          VALUE Upper Mississippi River Basin
         DESCRIPTION CONTAINS THE RESOURCE Yes
  EXTENT IN THE ITEM'S COORDINATE SYSTEM
    * WEST LONGITUDE -56253.742200
    * EAST LONGITUDE -43006.013700
    * SOUTH LATITUDE 2515912.979200
    * NORTH LATITUDE 2531084.223400
    * EXTENT CONTAINS THE RESOURCE Yes
  Hide Extents ▲
Resource Points of Contact ▶
  POINT OF CONTACT
    INDIVIDUAL'S NAME David James
    ORGANIZATION'S NAME USDA, Agricultural Research Service, National Laboratory of Agriculture and
    the Environment
    CONTACT'S ROLE point of contact
      CONTACT INFORMATION >
           VOICE (515) 294-6858
         ADDRESS
           Type postal
           DELIVERY POINT 2110 University Blvd.
           CITY Ames
           ADMINISTRATIVE AREA IOWA
           POSTAL CODE 50011
```

COUNTRY US
E-MAIL ADDRESS david.james@ars.usda.gov

Hide Contact information ▲

Hide Resource Points of Contact ▲

Resource Maintenance ▶

RESOURCE MAINTENANCE
UPDATE FREQUENCY not planned

Hide Resource Maintenance

Resource Constraints >

LEGAL CONSTRAINTS

LIMITATIONS OF USE

In no event shall the creators, custodians, or distributors of this information be liable for any damages arising out of its use (or the inability to use it).

CONSTRAINTS

LIMITATIONS OF USE

In no event shall the creators, custodians, or distributors of this information be liable for any damages arising out of its use (or the inability to use it).

Hide Resource Constraints ▲

Spatial Reference ▶

ARCGIS COORDINATE SYSTEM

- * Type Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_North_American_1983
- * PROJECTION USA_Contiguous_Albers_Equal_Area_Conic_USGS_version
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102039

X ORIGIN -16901100 Y ORIGIN -6972200

XY SCALE 10000

Z ORIGIN -100000

Z SCALE 10000

M ORIGIN -100000 M SCALE 10000

XY TOLERANCE 0.001

Z TOLERANCE 0.001 M TOLERANCE 0.001

HIGH PRECISION true

LATEST WELL-KNOWN IDENTIFIER 102039

WELL-KNOWN TEXT PROJCS

["USA_Contiguous_Albers_Equal_Area_Conic_USGS_version",GEOGCS

["GCS_North_American_1983",DATUM["D_North_American_1983",SPHEROID

["GRS_1980",6378137.0,298.257222101]],PRIMEM["Greenwich",0.0],UNIT

["Degree",0.0174532925199433]],PROJECTION["Albers"],PARAMETER

["False_Easting", 0.0], PARAMETER["False_Northing", 0.0], PARAMETER["Central_Meridian", -

```
["Meter",1.0],AUTHORITY["Esri",102039]]
  Hide Spatial Reference ▲
Data Quality ▶
  SCOPE OF QUALITY INFORMATION >
    RESOURCE LEVEL attribute
    Hide Scope of quality information ▲
  Hide Data Quality ▲
Distribution ▶
  DISTRIBUTION FORMAT
    VERSION v2010-2019
    * NAME File Geodatabase Table
  Hide Distribution ▲
Fields ▶
  DETAILS FOR OBJECT UMRB ACPFfields LandUse2015 2020 ▶
    * TYPE Table
    * ROW COUNT 2493249
    DEFINITION
      Agricultural land use by field, Iowa
    DEFINITION SOURCE
      Originator
    FIELD OBJECTID ▶
      * ALIAS OBJECTID
      * DATA TYPE OID
      * WIDTH 4
      * PRECISION 0
      * SCALE 0
      FIELD DESCRIPTION
         Internal feature number.
      DESCRIPTION SOURCE
         Esri
      DESCRIPTION OF VALUES
         Sequential unique whole numbers that are automatically generated.
      Hide Field OBJECTID ▲
```

96.0],PARAMETER["Standard_Parallel_1",29.5],PARAMETER

["Standard_Parallel_2",45.5],PARAMETER["Latitude_Of_Origin",23.0],UNIT

FIELD FBndID >

- * ALIAS FBndID
- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

A unique field identifier constructed by concatenating the HUC12 identification code and a sequential number.

DESCRIPTION SOURCE

Originator

Hide Field FBndID ▲

FIELD GenLU >

- * ALIAS GenLU
- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

General Land Use is assigned to each field based upon the majority land use, as derived from the NASS Cropland Data Layer, for each of six years, 2015-2020. The use codes are concatenated over the period into a rotation string, e.g. 'CBCCCB', and evaluated based on the distribution of uses, majority percent of the field, and occurrence of continuous corn. The GenLU field is concatenated from both the PrimeName and OneName fields in the ACPF land use rasters (e.g. WSCDL2020)

DESCRIPTION SOURCE

USDA/ARS

Hide Field GenLU A

FIELD AgLandUse ▶

- * ALIAS AgLandUse
- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Agricutural Land Use is assigned to each field based upon the majority land use, as derived from the NASS Cropland Data Layer, for each of six years, 2015-2020. The use codes are concatenated over the period into a rotation string, e.g. 'CBCCCB', and evaluated based on the distribution of uses, majority percent of the field, and occurrence of continuous corn. The AgLandUse shouldbe considered a slightly more detailed description of land use than GenLU, as it aggregates only PrimeName values to form it's result.

DESCRIPTION SOURCE

USDA/ARS

Hide Field AgLandUse ▲

FIELD CropRotatn ▶

* ALIAS CropRotatn

```
* DATA TYPE String
  * WIDTH 255
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
    The dominant (majority) land use codes are concatenated over the six-year period into
    acrop rotation string, e.g. 'CBCCCB'. The land use codes (ROTVAL) are:
    C-Corn,
    B-Soybean,
    E-Sugarbeets,
    F-Forest,
    p-Grapes,
    G-Sorghum,
    I-Idle,
    J-Rice,
    L-Double crops,
    N-Cotton,
    P-Pasture,
    R-Other,
    T-Water,
    W-Wheat,
    U-Developed,
    X-Barren, clouds, no data,
    a-Nuts,
    d-Fruit,
    g-SmallGrains,
    m-Legumes,
    o -OilSeed,
    q-Orchards,
    v-Vegetables
  DESCRIPTION SOURCE
    USDA ARS
 Hide Field CropRotatn ▲
FIELD CropSumry ▶
  * ALIAS CropSumry
  * DATA TYPE String
  * WIDTH 255
  * PRECISION 0
  * SCALE 0
  FIELD DESCRIPTION
    The Cropsumry field concatenates the number of occurances of a summary land use
    value (ROTVAL) with the summary value to represent a summary of land use, such that;
    C3CB - 3 years corn, 3 years soybean
    C2B1P3 - 2 years corn, 1 year soybean, 3 years pasture/grass/hay
  DESCRIPTION SOURCE
    USDA/ARS
 Hide Field CropSumry ▲
FIELD CCCount >
  * ALIAS CCCount
  * DATA TYPE String
```

- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Continuous Corn Count. The number of occurances of 'CC' in the crop rotation string, e.g. 2/6, would suggest that there are 2 occurances of 'CC' in the six years of the rotation. Both of the following conditions would exhibit 2/6...

CCCBCB

CCBCCB

DESCRIPTION SOURCE USDA/ARS

Hide Field CCCount ▲

FIELD MixCount ▶

- * ALIAS MixCount
- * DATA TYPE String
- * WIDTH 255
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

A count of the number of years where the dominant land use percent of the field falls below 75%. Referenced as the number of years mixed out of all years, e.g. 2/6 is two years out of six.

DESCRIPTION SOURCE USDA/ARS

Hide Field MixCount ▲

Hide Details for object UMRB_ACPFfields_LandUse2015_2020 ▲

OVERVIEW DESCRIPTION >

ENTITY AND ATTRIBUTE OVERVIEW

The land use assigned to the fields in this table are derived from the NASS Crop Data Layer for each of the six years in the period of record. For the majority assignment (e.g. maj19), the field is assigned as per the VALUE field below, which is the original NASS CDL value. For the summary fields, the crop rotation string (CropRotatn) and the crop summary string (CropSumry).

Hide Overview Description ▲

Hide Fields ▲

Metadata Details ▶

METADATA LANGUAGE English (UNITED STATES)

METADATA CHARACTER SET utf8 - 8 bit UCS Transfer Format

Scope of the data described by the metadata dataset scope name *dataset

```
* LAST UPDATE 2021-09-08
  ARCGIS METADATA PROPERTIES
    METADATA FORMAT ArcGIS 1.0
    STANDARD OR PROFILE USED TO EDIT METADATA NAP
    METADATA STYLE North American Profile of ISO19115 2003
    CREATED IN ARCGIS FOR THE ITEM 2021-09-07 09:53:10
    LAST MODIFIED IN ARCGIS FOR THE ITEM 2021-09-08 06:52:29
    AUTOMATIC UPDATES
      HAVE BEEN PERFORMED Yes
      LAST UPDATE 2021-09-08 06:52:29
    ITEM LOCATION HISTORY
      ITEM COPIED OR MOVED 2015-04-13 08:37:18
        FROM D:\Data\ACPF\ACPF_Database\ACPF_MetaData\FldBndy_meta\ACPF_FieldBndy_meta
        To \\NLAE08\Data\EDF_ACPF\ACPF_MetaData\FldBndy_meta\ACPF_FieldBndy_meta (1)
  Hide Metadata Details A
Metadata Contacts ▶
  METADATA CONTACT
    INDIVIDUAL'S NAME David James
    ORGANIZATION'S NAME USDA, Agricultural Research Service, National Laboratory of Agriculture and
    the Environment
    CONTACT'S ROLE point of contact
      CONTACT INFORMATION >
        PHONE
           VOICE (515) 294-6858
        ADDRESS
           Type postal
           DELIVERY POINT 2110 University Blvd.
           CITY Ames
           ADMINISTRATIVE AREA Iowa
           POSTAL CODE 50011
           COUNTRY US
           E-MAIL ADDRESS david.james@ars.usda.gov; dejames@iastate.edu
        Hide Contact information ▲
  Hide Metadata Contacts ▲
Metadata Maintenance ►
  MAINTENANCE
    UPDATE FREQUENCY not planned
  Hide Metadata Maintenance
```

Metadata Constraints ▶

SECURITY CONSTRAINTS

CLASSIFICATION unclassified

CLASSIFICATION SYSTEM None

ADDITIONAL RESTRICTIONS None

Hide Metadata Constraints ▲

Thumbnail and Enclosures ▶

ENCLOSURE

ENCLOSURE TYPE File

DESCRIPTION OF ENCLOSURE original metadata

ORIGINAL METADATA DOCUMENT, WHICH WAS TRANSLATED yes

SOURCE METADATA FORMAT fgdc

Hide Thumbnail and Enclosures ▲

FGDC Metadata (read-only) ▼