


Supporting Information

Acidic deep eutectic solvents as hydrolytic media for cellulose nanocrystal production


Juho Antti Sirviö, Miikka Visanko, and Henrikki Liimatainen*

Fibre and Particle Engineering Research Unit, University of Oulu, P.O. Box 4300, FI-90014, Finland.







Mic	Mag	Sample	Date	Label	
Tecnai 30000 x		-	03/18/16, 12:31	-	-200 nm-



Mic	Mag	Sample	Date	Label	
Tecnai 49000 x		-	03/18/16, 12:33	-	-200 nm-


Figure S1. TEM images of CNCs obtained from DES2-pretreated cellulose fibers





Mic	Mag	Sample	Date	Label
Tecnai 30000 x		-	03/18/16, 13:39	-


- 200 nm -




Mic	Mag	Sample	Date	Label
Tecnai 49000 x		-	03/18/16, 13:40	-

- 200 nm -


Figure S2. TEM images of CNCs obtained from DES3-pretreated cellulose fibers





Mic	Mag	Sample	Date	Label
Tecnai 30000 x		-	03/18/16, 14:16	-


—200 nm—




Mic	Mag	Sample	Date	Label
Tecnai 49000 x		-	03/18/16, 14:03	-


—200 nm—

Figure S3. TEM images of CNCs obtained from DES4-pretreated cellulose fibers





Mic	Mag	Sample	Date	Label	
Tecnai	30000 x	-	03/18/16, 14:51	-	-
					—200 nm—



Mic	Mag	Sample	Date	Label	
Tecnai	49000 x	-	03/18/16, 14:45	-	-
					—200 nm—

Figure S4. TEM images of CNCs obtained from DES4-pretreated cellulose fibers