Supporting Information

Design and Synthesis of a 4-Nitrobromobenzene Derivative bearing an Ethylene Glycol Tetraacetic acid Unit for a New Generation of Caged Calcium Compounds with Two-photon Absorption Properties in the Near-IR Region, and Their Application *In Vivo*

Satish Jakkampudi, ^{1,2} Manabu Abe, *^{1,2} Naomitsu Komori, ¹ Ryukichi Takagi, ¹ Ko Furukawa, ³ Claudine Katan, ⁴ Wakako Sawada, ⁵ Noriko Takahashi, ⁵ and Haruo Kasai*^{2,5}

¹Department of Chemistry & Research Center for Future Science, Graduate School of Science, Hiroshima University, 1-3-1 Kagamiyama, Higashi-Hiroshima, Hiroshima 739-8526, Japan

²JST-CREST, Gobancho 7 K's Gabancho, Chiyodaku, Tokyo 102-0075, Japan

³Center for Instrumental Analysis, Institute for Research Promotion, Niigata University, 8050 Ikarashi 2-no-cho, Nishi-ku, Niigata 950-2181, Japan

⁴Institut des Sciences Chimiques de Rennes, UMR 6226 CNRS-Université Rennes 1, 35042 Rennes, France

⁵Laboratory of Structural Physiology, CDBIM, Graduate School of Medicine, The University of Tokyo, Bunkyo-ku, Tokyo 113-0033, Japan

mabe@hiroshima-u.ac.jp, hkasai@m.u-tokyo.ac.jp

Product characterization Page

S2-S15




Figure S1: ¹H-NMR spectrum of compound 5 in CDCl₃.




Figure S2: ¹³C-NMR spectrum of compound 5 in CDCl₃.




Figure S3: ¹H-NMR spectrum of compound S1 in CDCl₃.




Figure S4: ¹³C-NMR spectrum of compound S1 in CDCl₃.




Figure S5: ¹H-NMR spectrum of compound 6 in CDCl₃.




Figure S6: ¹³C-NMR spectrum of compound 6 in CDCl₃.




Figure S7: ¹H-NMR spectrum of compound 7 in CDCl₃.




Figure S8: ¹³C-NMR spectrum of compound 7 in CDCl₃.




Figure S9: ¹H-NMR spectrum of compound 8 in CDCl₃.




Figure S10: ¹³C-NMR spectrum of compound 8 in CDCl₃.




Figure S11: ¹H-NMR spectrum of compound S2 in CDCl₃.




Figure S12: ¹³C-NMR spectrum of compound S2 in CDCl₃.




Figure S13: ¹H-NMR spectrum of compound 9 in CDCl₃.




Figure S14: ¹³C-NMR spectrum of compound 9 in CDCl₃.




Figure S15: ¹H-NMR spectrum of compound 1a in CDCl₃.




Figure S16: ¹³C-NMR spectrum of compound 1a in CDCl₃.




Figure S17: ¹H-NMR spectrum of compound 2a in CDCl₃.




Figure S18: ¹³C-NMR spectrum of compound 2a in CDCl₃.




Figure S19: ¹H-NMR spectrum of compound 3a in CDCl₃.




Figure S20: ¹³C-NMR spectrum of compound 3a in CDCl₃.




Figure S21: ¹H-NMR spectrum of compound 2b in CDCl₃.




Figure S22: ¹³C-NMR spectrum of compound 2b in CDCl₃.




Figure S23: ¹H-NMR spectrum of compound 3b in CDCl₃.




Figure S24: ¹³C-NMR spectrum of compound 3b in CDCl₃.




Figure S25: ¹H-NMR spectrum of compound 2c in CD₃OD.




Figure S26: ¹³C-NMR spectrum of compound 2c in CD₃OD.




Figure S27: ¹H-NMR spectrum of compound 3c in CD₃OD.




Figure S28: ¹³C-NMR spectrum of compound 3c in CD₃OD.