

Supporting Information

Photocatalyzed Reduction of Chromium(VI) and  
Thermal-driven Heterogeneous Separation

*YanJun Gong,<sup>[a]</sup> Qiongzheng Hu,<sup>[b]</sup> Yongxian Guo,<sup>[a]</sup> and Li Yu\*,<sup>[a]</sup>*


<sup>a</sup>Key Laboratory of Colloid and Interface Chemistry, Shandong University, Ministry of Education, , No.27 Shanda Nanlu, Jinan 250100, PR China

<sup>b</sup>Department of Chemistry, University of Houston, Houston, TX 77204, United States


**Corresponding Author**

E-mail: ylm1t@sdu.edu.cn


The supporting information contains **six figures in seven pages**.




**Figure S1.** The size distribution curve of POM/CTAB hybrid materials solution.




**Figure S2.** The Zeta potential curve of POM/CTAB hybrid materials solution.




**Figure S3.** The  $^1\text{H}$  NMR spectrum of CTAB.



**Figure S4.** The  $^1\text{H}$  NMR spectrum of POM/CTAB hybrid materials.



**Figure S5.** The FTIR spectrum of POM/CTAB hybrid solids.



**Figure S6.** The schematic diagram of Cr (VI) degradation upon UV light irradiation by POM/CTAB.