



EARTH & LIFE INSTITUTE

# SMARTROOT

A novel image analysis toolbox  
enabling quantitative analysis  
of root system architecture

---




Guillaume Lobet, Loïc Pagès and Xavier Draye

6th of September 2012

UCL

UNIVERSITÉ CATHOLIQUE DE LOUVAIN

# What we do in our lab



# What is SmartRoot?

- Semi-automated
- Root tracing software
- Morphology, topology
- Wide range of image







# Why semi- automated?




# Heterogenous image




# Heterogenous image




# Local information




# Local information



# Root system as a population



# Root system as a population



# Why semi-automated?



- Local information is needed
- Sample the root system
- Sample the image




# How does it work?




# Quick root tracing overview




# Quick root tracing overview




# Tracing algorithm - 1




# Tracing algorithm - 1




# Tracing algorithm - 1






# Tracing algorithm - 1






# Tracing algorithm - 1






# Tracing algorithm - 1






# Tracing algorithm - 1





# Tracing algorithm - 1





# Tracing algorithm - 1





# Tracing algorithm - 1





# Tracing algorithm - 1





# Tracing algorithm - 1




# Tracing algorithm - 1



# Tracing algorithm - 1




# Tracing algorithm - 2





# Tracing algorithm - 2

- mouse click
- local threshold**
- node creation
- node centering
- local threshold
- search path
- diameter check
- node creation
- node centering
- append node





# Tracing algorithm - 2

- mouse click
- local threshold**
- node creation
- node centering
- local threshold
- search path
- diameter check
- node creation
- node centering
- append node



# Tracing algorithm - 2

- mouse click
- local threshold**
- node creation
- node centering
- local threshold
- search path
- diameter check
- node creation
- node centering
- append node




# Tracing algorithm - 2


- mouse click
- local threshold**
- node creation
- node centering
- local threshold
- search path
- diameter check
- node creation
- node centering
- append node

$$T = \frac{P + MIN}{2} + MAX$$

Region of Interest




# Tracing algorithm - 3




# Tracing algorithm - 3

mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
**search path**  
diameter check  
node creation  
node centering  
append node




# Tracing algorithm - 3

mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
**search path**  
diameter check  
node creation  
node centering  
append node




# Tracing algorithm - 3

mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
**search path**  
diameter check  
node creation  
node centering  
append node




# Tracing algorithm - 3

mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
**search path**  
diameter check  
node creation  
node centering  
append node




# Tracing algorithm - 3

mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
**search path**  
diameter check  
node creation  
node centering  
append node




# Tracing algorithm - 3



mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
**search path**  
diameter check  
node creation  
node centering  
append node



# Tracing algorithm - 4




# Tracing algorithm - 4





# Tracing algorithm - 4



mouse click  
local threshold  
node creation  
**node centering**  
local threshold  
search path  
diameter check  
node creation  
node centering  
append node





# Tracing algorithm - 4





# Tracing algorithm - 4




# Tracing algorithm - 4




# Tracing algorithm - 4



# Tracing algorithm - 5




# Tracing algorithm - 5




Diameter freeze




# Object oriented




# Object oriented



# Object oriented




# Vector based



# Vector based

Coordinates in  
the pixel space


[x, y]



# Vector based

Coordinates in  
the pixel space  
 $[x, y]$

Vector coordinates  
 $[root, pos]$





# Working with real images?




# Real life examples

Lupin proteoid root



Maize root architecture



Potato root growth


# Lupin proteoid roots

aeroponic, time lapse

[contrast + , resolution + ]



# Lupin proteoid roots



aeroponic, time lapse

[contrast + , resolution + ]

# Lupin proteoid roots




aeroponic, time lapse  
[contrast + , resolution + ]  
↓  
primary root tracing

# Lupin proteoid roots



aeroponic, time lapse  
[contrast + , resolution + ]  
↓  
primary root tracing  
↓  
identify proteoid LR of  
interest across images

# Lupin proteoid roots




aeroponic, time lapse  
[contrast + , resolution + ]  
↓  
primary root tracing  
↓  
identify proteoid LR of  
interest across images

# Lupin proteoid roots

aeroponic, time lapse

[contrast + , resolution + ]



primary root tracing


identify proteoid LR of  
interest across images

annotate cluster position

# Lupin proteoid roots

aeroponic, time lapse

[contrast + , resolution + ]



primary root tracing

identify proteoid LR of  
interest across images


annotate cluster position

[ spatial and temporal root  
development dynamics ]



# Root growth in rhizotrons

rhizotron, apex tracking  
[contrast - , resolution + ]



# Root growth in rhizotrons

rhizotron, apex tracking

[contrast - , resolution + ]



# Root growth in rhizotrons

rhizotron, apex tracking

[contrast - , resolution + ]



root tracing



# Root growth in rhizotrons

rhizotron, apex tracking

[contrast - , resolution + ]



root tracing

mark positioning

# Root growth in rhizotrons

rhizotron, apex tracking

[contrast - , resolution + ]



root tracing

mark positioning


[growth = f(type, age, position)]



# Maize root architecture

aeroponic

[contrast - , resolution - ]



# Maize root architecture




aeroponic  
[contrast - , resolution - ]  
↓  
trace the primary


# Maize root architecture



aeroponic  
[contrast - , resolution - ]  
↓  
trace the primary  
↓  
automatic lateral tracing

# Maize root architecture





# Take home message

- Morphology, topology
- Wide range of:
  - image quality
  - plant species
  - biological questions
- Vector based and object-oriented
- Annotation tool
- User interface, data export, ....

[www.uclouvain.be/smarrtroot](http://www.uclouvain.be/smarrtroot)





# Acknowledgments

## Beta testers

- Tristan Lavigne
- Geoffrey Berguet
- Hélène Cordonnier
- Chantal Lemarié

## Funding



